

Ֆ ՐԼ ԲԽՇՐԷԽՅԼԺ Լ ՓՍՏ Բ Բ ԼՅ ԽԶ ԵՂԺ Ժ ԴԷՓԼԺ ԼՓԼ ԲԸ Էժ ԽԽՐԽՏԺ Խ
Լ ԵՐՐԷՓԸՐՐ

Էժ ԽԽՐԽՏ ՓԸ ՓՏ ՓՐԵՖ ԲԸ Լ ՓՍՏ

Լ ԵՐՐԷՓԺ ԶԼԺ Ե ԶԺ ԽՍՐՓԷԽՅԼԵԼԼԺ Ե ԴԵ ԵՐԷժ Ե ՍԿԵԵ ԵՐԼ ԲԵ Լ ՓՍՏ Բ
ԲԼ ԽՐՐՐՐՐ ԿՏԽԴ ԵԵՐՖ ԵԼ ԾՓՖ ԶԼԺ Խ Ժ ԲԼ ԵԷՓԺԺ ԿՐՐ
ՐՖ ԵԼ Բ ՓՏ ՓՐԵՖ ԲՏ ՓՐ.Խ. ՏԺ ԵԵ ԲԼ ԽՏԺ ԶԺ
Էժ ԽԽՐԽՏԺ Խ ՓՏ ՓՐԵՖ ԲՐ Լ ՓՍՏ

Էժ ԽԽՐԽՏ ԲԽ ԼԺ ԵԵ ԼՍԼ ԵՓՖ ԵԼ ԾՓՖ ԶԼՅ ԽՐԽՖ ԵԵԺ ԼՓԼ ԲԽ

Էժ ԽԽՐԽՏԺ Ե Ժ ԲԼ ԵԷՓԺԺ ԿՐԿԵԽՏԺ ԵԺ ԴԶ ԵԽՅԼԺ

IX Լ ԽԵՐԷԺ ԽԽՐԽՏ ՓԸ Չ ՏԺ Ժ Փ
Ժ Ժ Ժ ԵՅ ԽՍԿԵԼԼ Յ Խ
«ԿՏ ԽԴ ԵԵՐՖ ԵԼ ԾՓՖ ԶԼ ՓԸ
Ժ ԲԼ ԵԷՓԺԺ ԿՐԸ,
Դ ԵԾԷԺ ԺԺ ԿՐԸ Բ ԿԵԺ ԽՐՖ ԲԸ »

ԽԴԺ ԵԼ ԲՏ Ժ ՓՇՐԷՐՓՖԺԺ Լ

2-3 ԸՏՎԵՐ 2018 Վ

ԿԵԼԵՐԸ

[illegible][illegible][illegible][illegible]

18-05-00885.

අප්‍රේල් 2014

1. Frenzel M., Hirsch T., Gutzmer J. Gallium, germanium, indium, and other trace and minor elements in sphalerite as a function of deposit type – A meta-analysis // *Ore Geology Reviews*, 76, 2016, *files* 52 i 78.
2. Martín J.D., Gil A.S. An integrated thermodynamic mixing model for sphalerite geobarometry from 300 to 850°C and up to 1 GPa // *Geochim Cosmochim Acta*, 69, 2005, *files* 995 i 1006.
3. Pankratz L.B., King E.G. High-temperature heat contents and entropies of two zinc sulfides and four solid solutions of zinc and iron sulfides // U.S. Dept. of the Interior, Bureau of Mines, 6708, 1965.